



VDE INSULATED TOOLS

2021

Booher · Industrial Partner



What is VDE certification?

VDE refers to Verband Deutscher Elektrotechniker in German. It is a certification of electrical products assessed by Verband Deutscher Elektrotechniker, according to VDE standard or EN standard or IEC standard.



What is GS Certification?

GS means that the safety of a product has been certified (Geprüfte Sicherheit in German) and it refers to Germany Safety as well. GS certification is a voluntary certification according to GPGS and is tested according to EN or DIN. It is a German safety certification totally recognized by the European market.



What is IEC/EN Certification?

IEC/EN is International Electrotechnical Commission (IEC for short). The standard is formulated on the basis of EN standard in 2012. It stipulates the requirements of live working for hands tools operating at maximum voltage 1000V AC or 1500 DC.



Überwachte Fertigungsstätte

Approved Place of Manufacture

Shanghai Allways Tools
Company Ltd.
No. 2051 Zhu Dai Road, Jia Ding District
201806 SHANGHAI
Shanghai
CHINA

Factory No.: 30019302

Die Überwachung der Fertigungsstätte erfolgte nach dem europäischen Werksinspektionsverfahren auf Basis der folgenden Schriftstücke: / This surveillance of the factory was performed according to the European Factory Inspection Procedure based on the following documents:

ECS/CIG 021 - 024: 2014

Werksinspektionsverfahren, Harmonisierte Anforderungen /
Factory Inspection Procedure - Harmonized Requirements

Die Anforderungen wurden erfüllt. / The requirements have been fulfilled.

Datum der letzten Inspektion: / Date of last inspection:

2016-06-25

Produkt-Kategorie: Siehe Anhang /
Product Category: See Appendix

VDE Prüf- und Zertifizierungsinstitut GmbH
VDE Testing and Certification Institute
Inspektionen, Konformitätsüberwachung, Intern. Service
Inspection, Conformance, Intern. Service

Thomas Bliz
Datum / Date: 2016-06-02

Mertensstrasse 26, 63089 Offenbach, Deutschland / Germany
Telefon / Phone: +49 69 83 06-0, Telefax / Fax: +49 69 83 06-555

Dieses Dokument ist nicht übertragbar auf andere Fertigungsstätten und berechtigt nicht zum Führen eines VDE-Zeichens. /
This document is not transferable to other places of manufacture and does not authorize to use any VDE Mark.

VDE
INSTITUT

Name und Sitz der Fertigungsstätte / Name and registered seat of the place of manufacture
Shanghai Always Tools Company Ltd., Zhu Da Road, Ju Ding District, 201806 Shanghai, China

Datum / Date 2016-06-02 Seite / Page 1 / 1

Dieses Blatt gilt nur in Verbindung mit Blatt 1 des Dokuments für die überwachte Fertigungsstätte.
This supplement is only valid in conjunction with page 1 of the document for the supervised place of manufacture.

Datum der letzten Inspektion: / Date of last inspection:

2016-05-25

Produkt-Kategorie:

Einmaulschlüssel, verstellbar

Isolierende Klammer

Isolierende Zangen

Isolierter Schraubenschlüssel

Kabelmesser

Pinzette, isoliert

Schere, isoliert

Schraubendreher, isoliert

Steckschlüssel mit festem T-Griff

Winkelschraubendreher für
Innensechskantschrauben

Zange, isoliert

Zusammensetzbares Werkzeug

Product Category:

Adjustable wrench, open end

Insulating clip

Insulating pliers

Insulated wrench

Cable knives

Tweezer, insulated

Scissors, insulated

Screwdriver, insulated


Tee handle socket wrench, single end

Hexagon socket screw key

Pliers, insulated

Assembly tool






STAMP TEST

The indenter, loaded with a weight of 20N and a voltage of 5 KV, is applied to the centre of the handle. The test is successful if the test piece subsequently passes the electrical test.



INSULATION TEST

Before testing the test piece is heated to $70^{\circ}\text{C}\pm 3^{\circ}\text{C}$ for 168 hours. The hanger is loaded with weights (500N), wrenches and sockets sets with weights (100N). The duration of test is 3 minutes after the test piece has been removed from heat. The test piece is acceptable if the handle remains firmly attached to the conducting part after 3 minutes of testing.




FLAME RETARDANCY TEST

The flame is applied to the test piece for 10 seconds. The test piece is acceptable if the height of the flame on the burning handle does not exceed 120mm in an observation period of 20 seconds after the burner has been removed.

SALT-SPRAY TEST



TORQUE LIFE TEST



HARDNESS TEST



Safety signs

Operated by skilled person.
Power off.

Inspection before use. Don't use tools with damages.
Select tools with Δ 1000V marking.

Abide by the safe methods of work.

Don't use non-specified parts and combined with other tools.



ELECTRICAL TEST

Before testing, the tools are immersed in a bath of water at room temperature of 24 hours(±0.5hours) The test pieces are acceptable if there is no electrical discharge, spark over or flashover, during the 3 minutes of testing at a voltage of 10 KV.



IMPACT TEST

There are two tests carried out: The first test is performed at an ambient of $-25\pm 3^{\circ}\text{C}$ (the tools lay in a cold chamber for 2 hours), if with C marked test need to be done by $-40\pm 3^{\circ}\text{C}$ and is carried out 120 seconds after the tools have been removed from the chamber. The second test is carried out tools have been removed from the chamber. The second test is carried out at ambient temperature of $23\pm 5^{\circ}\text{C}$ The hammer is allowed to fall freely on three different places of the insulated material. The test piece is acceptable if the handle is not cracked, broken or does not show signs of faking. This test can be compared to a fall of the tool from a height of 0.6m at a temperature of -25°C and a fall from a height of 2m at room temperature.

Safety signs


Operated by skilled person.
Power off.

Inspection before use. Don't use tools with damages.
Select tools with \triangle 1000V marking.

Abide by the safe methods of work.
Don't use non-specified parts and combined with other tools.

VDE Insulated Screwdriver

Advanced alloy steel S2



Insulated Bar



3 times injection, high impact resistance, increase connection torque.




The colorful tips mark on endcap can help users to find the suitable screwdrivers easily.

Black oxidized of S2 blade surface. Whole heat treatment.

Concave-convex slot design, waterproof and moistureproof.

Ergonomic comfort and nice TPR grip.



Meets DIN Standard

Special insulated material with anti-burn and high-low temperature resistance

Improved PP material grip provides high impact resistance.

Each Insulated tube and whole grip has passed 2 times 10000V test to ensure safety, obtained GS/VDE certificate.

Improved material (TPR) with anti-corrosion, oil resistance and high-low temperature resistance.

Patented grip design.

Clear print Logo with good fastness.

Hanging hole design

Colorful tips mark on endcap.

Safety signs

Operated by skilled person.
Power off.

Inspection before use. Don't use tools with damages.
Select tools with 1000V marking.

Abide by the safe methods of work.
Don't use non-specified parts and combined with other tools.



VDE Prüf- und Zertifizierungsinstitut

ZEICHENGENEHMIGUNG MARKS APPROVAL

Shanghai Allways Tools
Company Ltd.
No. 2051 Zhu Dai Road, Jia Ding District
201806 SHANGHAI
Shanghai
CHINA

ist berechtigt, für ihr Produkt /
is authorized to use for their product

Kabelmesser
Cable knives

die hier abgebildeten markenrechtlich geschützten Zeichen
für die ab Blatt 2 aufgeführten Typen zu benutzen /
the legally protected Marks as shown below for the types referred to on page 2 ff.



Geprüft und zertifiziert nach /
Tested and certified according to

DIN EN 60900 (VDE 0682-201; 2013-04; EN 60900:2012)

Das Produkt entspricht den Anforderungen des deutschen Produktsicherheitsgesetzes (ProdSG)
hinsichtlich der Gewährleistung von Sicherheit und Gesundheit.
The product covers the requirements of the German Act "Produktsicherheitsgesetz (ProdSG)"
regarding the ensurance of safety and health.

Befristet zum / valid until: **2017-01-31**

VDE Prüf- und Zertifizierungsinstitut GmbH
VDE Testing and Certification Institute
Zertifizierungsstelle / Certification

Aktenzeichen: **5010101-3940-0010 / 208479**

File ref.:
Ausweis-Nr. **40034411** Blatt 1
Certificate No. Page
Weitere Bedingungen siehe Rückseite und Folgebildder /
further conditions see overleaf and following pages:
Offenbach, 2012-02-20
(letzte Änderung / updated 2015-11-27)

VDE Zertifikate sind nur gültig bei Veröffentlichung unter:
VDE certificates are valid only when published on:

<http://www.vde.com/zertifikat>
<http://www.vde.com/certificate>



Certification Validity
Period

Certification Number

Product Name

Certification Logo

Factory Code

Product Standard

Kabelmesser
Cable knife

Typ(en) / Type(s):

- 10271180
- 10272155
- 10274180
- 10275180
- 10276155
- 10277185

Kategorie
Category



C

The whole series of VDE certificate of insulated hand tools, in total 28 copies.

Live Working Permission Range
From -40°C to 70°C


Test Report (SVHC)

No. SHAEC1103989701 Date: 06 Apr 2011 Page 1 of 6

 SHANGHAI ALLWAYS TOOLS COMPANY LTD.
 NO.1211 JIA SONG ROAD(N),JIA DING ZONE,SHANGHAI P.C.(201806)

The following sample(s) was/were submitted and identified on behalf of the clients as : VDE SCREWDRIVER


SGS Job No. : SP11-008930 - SH
 Material No. : S2 BLADE_PP*TPR_GRIP
 Date of Sample Received : 29 Mar 2011
 Testing Period : 29 Mar 2011 - 06 Apr 2011
 Test Requested : As requested by client, SVHC screening is performed according to:
 (i) Forty six (46) substances in the Candidate List of Substances of Very High Concern (SVHC) for authorization published by European Chemicals Agency (ECHA) on and before Dec 15, 2010 regarding Regulation (EC) No 1907/2006 concerning the REACH.

Test Results : Please refer to next page(s).

Summary :

According to the specified scope and analytical techniques, concentrations of tested SVHC are $\leq 0.1\%$ (ww) in the submitted sample.	PASS
--	------

 Signed for and on behalf of
 SGS-CSTC Ltd.



 Fan Jingle, JJ
 Approved Signatory

This document is issued by the Company subject to its General Conditions of Service printed hereafter, available on request or accessible at http://www.sgs.com/terms_and_conditions.
 SGS and its associated member companies, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions. Attention is drawn to the limitation of liability and jurisdiction clauses defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings, at the time of the testing, and is not intended to constitute a warranty. The Company is not responsible for the use of this document and the information contained therein for any purpose other than the one for which it was issued. The Company is not responsible for the use of this document and the information contained therein for any purpose other than the one for which it was issued. The Company is not responsible for the use of this document and the information contained therein for any purpose other than the one for which it was issued.



Shanghai Allways Tools Company Ltd. (Shanghai Office) 200233 (E) 86-21-51402553 (F) 86-21-51402579 www.cn.sgs.com
 中国·上海·徐汇区宜山路999号4楼 邮编: 200233 HL 86-21-51402584 HL 86-21-51402585 # sgs.cn@sgs.com

Member of the SGS Group (SGS SA)


Test Report (SVHC)

No. SHAEC1103989701 Date: 06 Apr 2011 Page 6 of 6

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed hereafter, available on request or accessible at http://www.sgs.com/terms_and_conditions.
 SGS and its associated member companies, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_and_conditions. Attention is drawn to the limitation of liability and jurisdiction clauses defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings, at the time of the testing, and is not intended to constitute a warranty. The Company is not responsible for the use of this document and the information contained therein for any purpose other than the one for which it was issued. The Company is not responsible for the use of this document and the information contained therein for any purpose other than the one for which it was issued. The Company is not responsible for the use of this document and the information contained therein for any purpose other than the one for which it was issued.



Shanghai Allways Tools Company Ltd. (Shanghai Office) 200233 (E) 86-21-51402553 (F) 86-21-51402579 www.cn.sgs.com
 中国·上海·徐汇区宜山路999号4楼 邮编: 200233 HL 86-21-51402584 HL 86-21-51402585 # sgs.cn@sgs.com

Member of the SGS Group (SGS SA)

193Pcs New Energy Vehicle Repair Tools Set

0200 601
25Pcs Insulated Screwdriver Set

0200 603
54Pcs Insulated Socket Set

0200 602
27Pcs Insulated Tool Set

0200 604
13Pcs Insulated Tool Set

0200 607
16Pcs Insulated Tool Set




0200 605
21Pcs Insulated Ring Wrench

0200 606
37Pcs Insulated Wrench

Contents		Code
193	1	0200 888

25Pcs Insulated Screwdriver Set

54Pcs Insulated Socket Set




Contents		Code
25	1	0200 601
Insulated Slotted Screwdriver	2.5x75, 3.0x100, 3.5x100, 4.0x100, 5.5x125, 5.5x150, 6.5x150, 6.5x175mm	
Insulated Phillips Screwdriver	PH0x60, PH1x80, PH1x150, PH2x100, PH2x175, PH3x150mm	
Insulated Pozidriv Screwdriver	PZ0x60, PZ1x80, PZ2x100, PZ3x150mm	
Insulated Torx Screwdriver	T10x70, T15x80, T20x100, T25x125, T30x130mm	
Insulated Bits Holder Screwdriver	1/4"x100mm	1000V
Insulated Voltage Tester	70mm	

Contents		Code
54	1	0200 603
3/8" Insulated Torque Wrench	5-25, 10-50Nm	1000V
1/4" Insulated Socket	4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm	
3/8" Insulated Socket	8, 10, 11, 12, 13, 14, 16, 17, 18, 19, 21, 22mm	
1/2" Insulated Socket	10, 11, 12, 13, 14, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm	
1/2" Insulated Hexagon Socket	4, 5, 6, 8, 10mm	
Insulated T-handle Wrench	3/8" x 200, 1/2" x 200mm	
Insulated Extension Bar	3/8"x125, 3/8"x250, 1/2"x125, 1/2"x250mm	
Insulated Ratchet Wrench	1/4", 3/8", 1/2"	

27Pcs Insulated Tool Set


1000V C
IEC 60900:2012



Contents		Code
27	1	0200 602
Insulated Nut Screwdriver	● 4.0x125, 5.0x125, 5.5x125, 6.0x125, 7.0x125, 8.0x125, 9.0x125, 10.0x125, 11x125, 12x125, 13x125, 14x125mm	
Insulated Precision Slotted Screwdriver	⊖ 1.5x50, 1.8x50, 2.0x50, 3.0x50mm	
Insulated Precision Phillips Screwdriver	⊕ PH00x50, PH0x50, PH1x50mm	
Insulated Torx Screwdriver	⊕ T6x50, T8x50, T10x50, T15x50, T20x50mm	
Insulated Cable Knife	Straight, Long Hook, Dismantling	

13Pcs Insulated Tool Set



1000V C
IEC 60900:2012



Contents		Code
13	1	0200 604
Insulated Pliers	Combination Pliers 8", Long Nose Pliers 8", Bent Nose Pliers 6", Diagonal Cutting Pliers 6", Flat Nose Pliers 6", Round Nose Pliers 6", Wire Stripper Pliers 6", Water Pump Pliers 10"	
Insulated Cable Cutting Pliers	150mm(22m ²)	
Insulated Adjustable Wrench	200mm 250mm	
Insulating Electrician's Tape	20mmx10m	
General Key		

21Pcs Insulated Ring Wrench


1000V C
IEC 60900:2012



Contents		Code
21	1	0200 605
Insulated Ring Wrench	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm	
Insulated Electrician's Scissors	160mm	


37Pcs Insulated Wrench

1000V C
IEC 60900:2012




Contents		Code
37	1	0200 606
Insulated Open End Wrench	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm	
Dipped Insulated Ratchet Ring Wrench	10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm	
Insulated Hex Key Wrench	3, 4, 5, 6, 8, 10, 12mm	


16Pcs Insulated Tool Set




Contents		Code
16	1	0200 607
8 In 1 Voltage Tester		24-690V
Insulated Precision Tweezers		Wide mouth, Curved tip, Microtip
Insulated Junior Hacksaw		150mm
Insulated plastic clamp		Round head, Pointed
Insulated Hammer With Replaceable Inserts		30mm
Insulating Electrician's Gloves		10#
Insulating Rubber Mat		500x500mm
Dipped Insulating Plastic Slip-on Caps		1# 2# 3#
Dipped Insulating Plastic Self-Clamping Slip-on Caps		10, 20, 30mm


24Pcs Insulated Tools Set





Contents		Code
24	1	0200 608
1/2" Insulated Socket		10, 11, 12, 13, 14, 17, 19, 21, 22, 24, 27, 32mm
1/2" Insulated Ratchet Wrench		250mm
1/2" Insulated Extension Bar		125mm
1/2" Insulated T-handle Wrench		200mm
1/2" Insulated Hexagon Socket		4x120, 5x120, 6x120, 8x120, 10x120mm
Insulated Pliers		Combination Pliers 8", Long Nose Pliers 8", Wire Stripper Pliers 6"


18Pcs Insulated Screwdrivers Set




Contents		Code
18	1	0200 610
Insulated Nut Screwdriver		4.0x125, 5.0x125, 6.0x125, 7.0x125, 8.0x125, 9.0x125, 10x125, 11x125, 12x125, 14x125mm
Insulated Slotted Screwdriver		4.0x100, 5.5x125, 6.5x150mm
Insulated Phillips Screwdriver		PH0x60, PH1x80, PH2x100, PH3x150mm

23Pcs Insulated Wrenches Set




Contents		Code
23	1	0200 611
Dipped Insulated Open End Wrench		10, 11, 12, 13, 14, 16, 17, 18, 19, 21, 22, 24mm
Dipped Insulated Ring Wrench		8, 10, 11, 12, 13, 14, 16, 17, 18, 19, 21mm

22Pcs Insulated Tools Set




Contents		Code
22	1	0200 612
16PCS Insulated Phillips/ Slotted/Pozidriv Screwdriver	<ul style="list-style-type: none"> ➕ PH0x60, PH1x80, PH2x100, PH3x150mm ➖ 2.5x75, 3.0x100, 3.5x100, 4.0x100, 5.5x125, 6.5x150, 5.5x150, 6.5x175mm ➕ PZ0x60, PZ1x80, PZ2x100, PZ3x150mm 	
4PCS Insulated Pliers	8" Combination pliers, 8" long nose pliers, diagonal cutting pliers 6", wire stripper pliers 6"	
1PC Insulated scissors	160mm	
1PC voltage tester	3*70mm	

33Pcs Insulated Tools Set





Contents		Code
33	1	0200 613
4PCS 3/8" Insulated Deep Sockets	8, 10, 14, 17mm	
8PCS 3/8" Insulated Sockets	8, 10, 12, 13, 14, 17, 19, 22mm	
1PC 3/8" Insulated Ratchet Wrench	200mm	
2PCS 3/8" Insulated Extension Bars	125, 250mm	
1PC 3/8" Insulated T handle Wrench	200mm	
2PCS Insulated Open-end Wrenches	10, 12mm	
2PCS Insulated Ring Wrenches	10, 12mm	
1PC Insulated Hexagon Key Wrench	5mm	
12PCS Insulated Nut Screwdrivers	4.0x125, 5.0x125, 5.5x125, 6.0x125, 7.0x125, 8.0x125, 9.0x125, 10x125, 11x125, 12x125, 13x125, 14x125mm	

20Pcs Insulated Tools Set




Contents		Code
20	1	0200 616
15PCS 1/2" Insulated Sockets	10, 11, 12, 13, 14, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm	
1PC 1/2" Insulated Ratchet Wrench	250mm	
2PCS 1/2" Insulated Extension Bars	125, 250mm	
1PC 1/2" Insulated T handle Wrench	200mm	
1PC Insulated Adjustable Wrench	10"	






24Pcs Insulated Sockets & T-handle Wrench Set




Contents		Code
24	1	0200 617
4PCS 3/8" Insulated Deep Sockets	8, 12, 14, 17mm	
10PCS 3/8" Insulated Sockets	8, 10, 12, 14, 16, 17, 18, 19, 21, 22mm	
1PC 3/8" Insulated Ratchet Wrench	200mm	
2PCS 3/8" Insulated Extension Bars	125, 250mm	
1PC 3/8" Insulated T handle Wrench	200mm	
5PCS Insulated T-handle wrench with ball-ended	3, 4, 5, 6, 8mm	
1PC voltage tester	3*70mm	


22Pcs Insulated Tools Set




Contents		Code
22	1	0200 618
16PCS Insulated Screwdrivers	<ul style="list-style-type: none">  PH0x60, PH1x80, PH2x100mm  2.5x75, 4.0x100, 6.5x150mm  T10x70, T15x80, T20x100, T25x125, T30x130mm  H3.0x75, H4.0x75, 5.0x75, H6.0x100, H8.0x100mm 	
4PCS Insulated Pliers	8" Combination pliers, 8" long nose pliers, diagonal cutting pliers 6", wire stripper pliers 6"	
1PC Insulated scissors	160mm	
1PC Insulating tape	20mm x 10m	






13Pcs Insulated Ring Wrench





Contents		Code
13	1	0200 619
13PCS Insulated RingWrenches		8, 10, 11, 12, 13, 14, 16, 17, 18, 19, 21, 22, 24mm


16Pcs Insulated Open End Wrench




Contents		Code
16	1	0200 620
16PCS Insulated Openend Wrenches		8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27mm

17Pcs Insulated Ring Wrench & Pliers Set 17件 VDE 绝缘梅花扳手及钳子组套




Contents		Code
17	1	0200 621
13PCS Insulated Ring Wrenches		8, 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm
3PCS Insulated Pliers		8" Combination pliers, 8" long nose pliers, diagonal cutting pliers 6"
1PC Insulated Cable Knife		38x155mm

31Pcs Insulated 3/8"-1/2" Socket Set



Contents		Code
31	1	0200 622
6PCS 3/8" Insulated Sockets	8, 10, 12, 16, 17, 18mm	
2PCS Insulated Ratchet Wrench	3/8" 200mm, 1/2" 250mm	
4PCS Insulated Extension Bars	3/8" 125 250mm, 1/2" 125 250mm	
1PC 1/2" Insulated T handle Wrench	200mm	
11PCS 1/2" Insulated Sockets	10, 11, 12, 13, 14, 16, 17, 19, 21, 22, 24mm	
5PCS 1/2" Insulated Bits Sockets	4x120, 5x120, 6x120, 8x120, 10x120mm	
2PCS Insulated Ring Wrenches	13, 14mm	

20Pcs Insulated Open End Wrench & Screwdriver Set



Contents		Code
20	1	0200 623
13PCS Insulated Open-end Wrenches	8, 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm	
1PC Insulated Adjustable Wrench	8"	
6PCS Insulated Screwdrivers	<ul style="list-style-type: none"> + PH0x60, PH1x80, PH2x100mm - 2.5x75, 4.0x100, 5.5x125mm 	

66 Pcs Insulated Tools Set






Contents		Code
66	1	0200 412
10PCS 1/2" Insulated Sockets	10, 11, 12, 13, 14, 16, 17, 19, 22, 24mm	
2PCS Insulated Ratchet Wrench	1/2" 250mm 3/8" 200mm	
4PCS Insulated Extension Bars	1/2" 125, 250mm 3/8" 125, 250mm	
1PC 1/2" Insulated T handle Wrench	200mm	
5PCS 1/2" Insulated Bits Sockets	4x120, 5x120, 6x120, 8x120, 10x120mm	
7PCS 3/8" Insulated Sockets	10, 12, 13, 14, 16, 17, 18mm	
3PCS Insulated Slotted Screwdrivers	2.5x75, 4.0x100, 5.5x125mm	
3PCS Insulated Phillips Screwdrivers	PH0x60, PH1x80, PH2x100mm	
3PCS Insulated Pliers	7" diagonal cutting pliers, 8" combination pliers, 8" long nose pliers	
1PC Insulated Adjustable Wrench	8"	
1PC Insulated Cable Knife	50x180mm	
13PCS Insulated Open-end Wrenches	8, 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm	
13PCS Insulated Ring Wrenches	8, 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm	
1PC 25" Safety case	25"	



4Pcs Insulated Pliers Set


1000V C
IEC 60900:2012




Contents		Code
4	1	0200 651
Insulated Pliers	Combination Pliers 8", Long Nose Pliers 8", Diagonal Cutting Pliers 6", Wire Stripper Pliers 6"	

9Pcs Insulated Screwdrivers Set


1000V C
IEC 60900:2012




Contents		Code
9	1	0200 652
Insulated Slotted Screwdriver	2.5x75, 4.0x100, 5.5x125, 6.5x150mm	
Insulated Phillips Screwdriver	PH0x60, PH1x80, PH2x100, PH3x150mm	
Insulated Voltage Tester	125-250V	

20Pcs 3/8" Insulated Sockets Set


1000V C
IEC 60900:2012




Contents		Code
20	1	0200 654
3/8" Insulated Socket	8, 10, 11, 12, 13, 14, 16, 17, 18, 19, 21, 22mm	
3/8" Insulated Hexagon Socket	4, 5, 6, 8mm	
3/8" Insulated Ratchet Wrench	200mm	
3/8" Insulated Extension Bar	125, 250mm	
3/8" Insulated T-handle Wrench	200mm	

22Pcs 1/2" Insulated Sockets Set

1000V C
IEC 60900:2012



Contents		Code
22	1	0200 655
1/2" Insulated Socket	10, 11, 12, 13, 14, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm	
1/2" Insulated Hexagon Socket	4, 5, 6mm	
1/2" Insulated Ratchet Wrench	200mm	
1/2" Insulated Extension Bar	125, 250mm	
1/2" Insulated T-handle Wrench	200mm	

9Pcs Insulated Electrician's Tool Set

1000V C
IEC 60900:2012



Contents		Code
9	1	0200 101
Insulated Slotted Screwdriver	2.5x75mm 4.0x100mm 5.5x125mm	
Insulated Phillips Screwdriver	PH0x60mm PH1x80mm PH2x100mm	
Insulated Pliers	Combination Pliers 8", Long Nose Pliers 6", Diagonal Cutting Pliers 6"	
Insulated Voltage Tester	125-250V	

11Pcs Insulated Electrician's Tool Set

1000V C
IEC 60900:2012



Contents		Code
11	1	0200 102
Insulated Pliers	Combination Pliers 8", Long Nose Pliers 8", Diagonal Cutting Pliers 6", Water Pump Pliers 10"	
Insulated Cable Knife(Straight)	50x180mm	
Insulated Voltage Tester	125-250V	
Insulated Slotted Screwdriver	2.5x75mm 4.0x100mm 6.5x150mm	
Insulated Phillips Screwdriver	PH1x80mm PH2x100mm	

5Pcs Insulated Electrician's Tool Set

1000V C
IEC 60900:2012



Contents		Code
5	6	0200 201
Insulated Slotted Screwdriver	3.5x100, 5.5x125mm	
Insulated Phillips Screwdriver	PH2x100mm	
Insulated Combination Pliers	200mm	
Insulated Voltage Tester	125-250V	

6Pcs Insulated Screwdriver Set



1000V C
IEC 60900:2012



Contents		Code
6	6	0200 202
Insulated Slotted Screwdriver	2.5x75, 3.0x100, 5.5x125mm	
Insulated Phillips Screwdriver	PH1x80, PH2x100mm	
Insulated Voltage Tester	125-250V	

8Pcs Insulated Screwdriver Set



1000V C
IEC 60900:2012



Contents		Code
8	6	0200 204
Insulated Slotted Screwdriver	2.5x75, 4.0x100, 5.5x125, 6.5x150mm	
Insulated Phillips Screwdriver	PH0x60, PH1x80, PH2x100mm	
Insulated Voltage Tester	125-250V	

12Pcs Insulated Changeable Screwdriver Set



1000V C
IEC 60900:2012



Contents		Code
12	6	0200 103
	0.4x2.0x100 0.4x2.5x100 0.5x3.0x100	
	0.6x3.5x100 0.8x4.0x100 1.0x5.5x100 1.2x6.5x100	
	PH0x100 PH1x100 PH2x100	
	125-250V	
	110mm	

13Pcs Insulated Tool Set



Contents		Code
13	1	0200 104
Insulated Adjustable Wrench	200mm	
Insulated Cable Knife(Straight)	50x180mm	
Insulated Junior Hacksaw	150mm	
Insulated Pliers	Water Pump Pliers 10", Combination Pliers 7", Long Nose Pliers 6", Diagonal Cutting Pliers 6", Wire Stripper Pliers 6"	
Insulated Screwdriver	5.5x125mm, PH2x100mm	
Insulated Voltage Tester	125-250V	
2pcs Saw blade	150mm	

50Pcs Insulated Changeable Screwdriver Set



Contents		Code
50	2	0200 106
0.4x2.0x100	0.4x2.5x100 0.5x3.0x100	
0.6x3.5x100	0.8x4.0x100 1.0x5.5x100 1.2x6.5x100	
PH0x100	PH1x100 PH2x100	
PZ0x100	PZ1x100 PZ2x100	
T6x100	T8x100 T9x100 T10x100 T15x100	
T20x100	T25x100 T27x100 T30x100	
H2.5x100	H3.0x100 H4.0x100 H5.0x100 H6.0x100	
R1x100	R2x100	
TRI 1x100	TRI 2x100 TRI 3x100 TRI 4x100	
TORO 4x100	TORO 6x100 TORO 8x100 TORO 10x100	
M4x4.0x100	M5x5.0x100 M6x5.0x100	
4x100	6x100 8x100 10x100	
6.3x89	8.1x89	
89	89	
125-250V		
110mm		

7Pcs Insulated Precision Screwdriver Set



Contents		Code
7	6	0200 203
Insulated Precision Slotted Screwdriver	0.23x1.5x50, 0.3x1.8x50, 0.4x2.0x50mm, 0.4x2.5x50, 0.5x3.0x50mm	
Insulated Precision Phillips Screwdriver	PH00x50mm, PH0x50mm	




15Pcs Insulated Tool Set



Contents		Code
15	1	0200 105
Insulated Pliers	Combination Pliers 8", Long Nose Pliers 8", Diagonal Cutting Pliers 6", Wire Stripper Pliers 6"	
Insulated Cable Knife(Straight)	50x180mm	
Insulated Voltage Tester	125-250V	
Insulated Slotted Screwdriver	2.5x75, 3.0x100, 4.0x100, 5.5x125, 6.5x150mm	
Insulated Phillips Screwdriver	PH0x60, PH1x80, PH2x100, PH3x150mm	


6Pcs Insulated Tool Set



Contents		Code
6	1	0200 301
3/8" Insulated Socket	8, 10mm	 1000V
3/8" Insulated Extension Bar	250mm	
3/8" Insulated Torque Wrench	5-25Nm	
3/8" Insulated T-handle Wrench	200mm	
Insulating Electrician's Gloves	10#	 1000V


20Pcs 3/8" Insulated Socket Set



Contents		Code
20	1	0200 302
3/8" Insulated Socket	8, 10, 11, 2, 13, 14, 16, 17, 18, 19, 21, 22mm	
3/8" Insulated Hexagon Socket	4x75, 5x75, 6x75, 8x75mm	
3/8" Insulated Extension Bar	125, 250mm	
3/8" Insulated T-handle Wrench	200mm	
3/8" Insulated Ratchet Wrench	200mm	


11Pcs New Energy Vehicle Repair Tools Set



Contents		Code
11	1	0200 303
3/8" Insulated Socket	8, 10, 12, 14mm	
3/8" Insulated Hexagon Socket	5, 6mm	
3/8" Insulated T-handle Wrench	200mm	
3/8" Insulated Torque Wrench	5-25Nm	
Insulating Electrician's Gloves	10#	
Insulating Rubber Mat	500x500mm	
Insulated Extension Bar	125mm	

16Pcs 3/8" Insulated Socket Set




Contents		Code
16	1	0200 304
3/8" Insulated Socket	8, 10, 11, 12, 13, 14, 17, 19mm	
3/8" Insulated Hexagon Socket	4x75, 5x75, 6x75, 8x75mm	
3/8" Insulated Extension Bar	125, 250mm	
3/8" Insulated T-handle Wrench	200mm	
3/8" Insulated Ratchet Wrench	200mm	

20Pcs 1/2" Insulated Socket Set

 1000V C
IEC 60900:2012




Contents		Code
20	1	0200 306
1/2" Insulated Socket	10, 11, 12, 13, 14, 17, 19, 22, 24, 27, 32mm	
1/2" Insulated Hexagon Socket	4x120, 5x120, 6x120, 8x120, 10x120mm	
1/2" Insulated Extension Bar	125, 250mm	
1/2" Insulated T-handle Wrench	200mm	
1/2" Insulated Ratchet Wrench	250mm	

29Pcs 1/2" Insulated Tool Set

 1000V C
IEC 60900:2012




Contents		Code
29	1	0200 307
1/2" Insulated Socket	10, 11, 12, 13, 14, 16, 17, 18, 19, 21, 22, 24, 27mm	
1/2" Insulated Hexagon Socket	4x120, 5x120, 6x120, 8x120mm	
1/2" Insulated Extension Bar	125, 250mm	
1/2" Insulated T-handle Wrench	200mm	
1/2" Insulated Ratchet Wrench	250mm	
Insulated Pliers	Combination Pliers 7", Long Nose Pliers 6", Diagonal Cutting Pliers 6"	
Insulated Adjustable Wrench	200mm	
Insulated Slotted Screwdriver	⊖ 4.0x100, 5.5x125mm	
Insulated Phillips Screwdriver	⊕ PH1x80, PH2x100mm	

19Pcs Insulated Tool Set

 1000V C
IEC 60900:2012




Contents		Code
19	1	0200 309
Insulated Pliers	Combination Pliers 8", Long Nose Pliers 6", Diagonal Cutting Pliers 6", Wire Stripper Pliers 6"	
Insulated Cable Knife(Straight)	50x180mm	
Insulated Voltage Tester	⚡ 125-250V	
Insulated Adjustable Wrench	250mm	
Insulated Open End Wrench	10, 12, 14, 17, 19mm	
Insulated Slotted Screwdriver	⊖ 2.5x75mm 4.0x100mm 5.5x125mm	
Insulated Phillips Screwdriver	⊕ PH0x60mm PH1x80mm PH2x100mm	
Insulating Electrician's Tape	19mmx10m	

20Pcs Insulated Tool Set








 1000V C
IEC 60900:2012



Contents		Code
20	1	0200 308
Insulated Open End Wrench	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 24, 27, 30, 32mm	
Insulated Adjustable Wrench	250mm	



78Pcs Insulated Electrician's Tool Set



Contents		Code
78	1	0200 318
Insulated Pliers	Combination Pliers 7", Long Nose Pliers 6", Diagonal Cutting Pliers 6", Wire Stripper Pliers 6"	
Insulated Open End Wrench	9, 10, 11, 12, 13, 14, 17, 18, 19mm	
6.3mm Insulated Socket	4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm	
10mm Insulated Socket	8, 10, 11, 12, 13, 14, 16, 17, 18, 19mm	
12.5mm Insulated Socket	21, 22, 24, 27, 30, 32mm	
Insulated Ratchet Wrench	1/4", 3/8", 1/2"	
Insulated Extension Bar	10x125mm, 12.5x250mm	
12.5mm Insulated Hexagon Socket	4, 5, 6, 8, 10mm	
Insulated Screwdriver	<ul style="list-style-type: none">  3.0x100, 5.5x125, 6.5x150mm  PH0x60, PH1x80, PH2x100mm 	
Insulated Bits Holder Screwdriver	6.35x100mm	
Insulated Precision Tweezers	Wide mouth, Transverse tooth	
Insulated Electrician's Scissors	160mm	
Insulated Cable Knife(Straight)	50x180mm	
Insulating Electrician's Tape	20mmx10m	
1/4" Dr. Bits	<ul style="list-style-type: none">  4, 5.5, 6mm  PH1, PH2, PH3  TT8, TT10, TT15, TT20, TT25, TT30  2, 2.5, 3, 4, 5, 6mm 	




16Pcs 3/8" Insulated Torque Wrench Set



Contents		Code
16	1	0200 313
3/8" Insulated Socket	8, 10, 11, 12, 13, 14, 17, 19mm	
3/8" Insulated Hexagon Socket	4x75, 5x75, 6x75, 8x75mm	
3/8" Insulated Extension Bar	125, 250mm	
3/8" Insulated T-handle Wrench	200mm	
3/8" Insulated Torque Wrench	10-50Nm	



16Pcs Insulated Tools Set




Contents		Code
16	1	0200 319
Insulated Pliers	Combination Pliers 8", Long Nose Pliers 8"	
Insulated Slotted Screwdriver	 4x100, 5.5x125, 6.5x150mm	
Insulated Phillips Screwdriver	 PH1x80, PH2x100mm	
Insulated Open End Wrench	10, 11, 12, 13, 14, 17, 19mm	
Insulated Cable Knife(Straight)	50x180mm	
Insulated Voltage Tester	125-250V	

16Pcs 1/2" Insulated Torque Wrench Set



Contents		Code
16	1	0200 315
1/2" Insulated Socket	10, 11, 12, 13, 14, 17, 19mm	
1/2" Insulated Hexagon Socket	4x120, 5x120, 6x120, 8x120, 10x120mm	
1/2" Insulated Extension Bar	125, 250mm	
1/2" Insulated T-handle Wrench	200mm	
1/2" Insulated Torque Wrench	10-50Nm	

40Pcs Insulated Tool Set



Contents	Image	Code
40	1	0200 401
Insulated Open End Wrench	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm	
Insulated Adjustable Wrench	250mm	
Insulated Pliers	Combination Pliers 8", Long Nose Pliers 6", Diagonal Cutting Pliers 6", Wire Stripper Pliers 6", Water Pump Pliers 10"	
Insulated Cable Cutting Pliers	250mm	
Insulated Screwdriver	2.5x75, 4x100, 5.5x125, 6.5x150mm	
Insulated Screwdriver	PH0x60, PH1x80, PH2x100, PH3x150mm	
Insulated Cable Knife	Straight, Long Hook, Dismantling	
Insulated Junior Hacksaw	150mm	1000V
Insulated Voltage Tester	125-250V	
Insulating Electrician's Tape	19mmx10m	
ABS Bag	485x375x248mm	

43Pcs Insulated Tool Set



Contents	Image	Code
43	1	0200 402
Insulated Pliers	Combination Pliers 8", Long Nose Pliers 6", Diagonal Cutting Pliers 6"	
Insulated Open End Wrench	10, 12, 14, 17, 19mm	
Insulated Adjustable Wrench	200mm	
1/2" Insulated Socket	10, 11, 12, 13, 14, 16, 17, 18, 19, 21, 22, 24mm	
1/2" Insulated Hexagon Socket	4x120, 5x120, 6x120, 8x120mm	
1/2" Insulated T-handle Wrench	200mm	
1/2" Insulated Extension Bar	125, 250mm	
1/2" Insulated Ratchet Wrench	250mm	
Insulated Voltage Tester	125-250V	
Insulated Cable Knife(Straight)	50x180mm	
Insulated Cable Cutting Pliers	250mm	
Insulated Junior Hacksaw	150mm	
Insulated Screwdriver	2.5x75, 4.0x100, 5.5x125, 6.5x150mm	
Insulated Screwdriver	PH0x60, PH1x80, PH2x100, PH3x150mm	
Insulating Electrician's Tape	19mmx10m	
ABS Bag	485x375x248mm	

9Pcs Insulated Tools Set



Contents	Image	Code
9	1	0200 503
Insulated combination pliers	200mm(8")	
Insulated diagonal cutting pliers	150mm(6")	
6PCS Insulated Screwdrivers	2.5x75, 4.0x100, 5.5x125mm PH0x60mm, PH1x80, PH2x100mm	
Insulated cable knife	50x180mm	

9Pcs Insulated Tools Set



Contents	Image	Code
9	1	0200 504
Insulated combination pliers	200mm(8")	
Insulated diagonal cutting pliers	150mm(6")	
6PCS Insulated Screwdrivers	4.0x100, 5.5x125mm PH0x60mm, PH1x80mm	
Insulated cable knife	50x180mm	
Insulated voltage tester	125-250V	
Insulating electrical tape	20mmx10m	

98Pcs Insulated Tool Set

IEC 60900:2012 1000V C



Contents		Code
98	1	0200 403
Insulated Open End Wrench	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm	
Insulated Adjustable Wrench	250mm	
Insulated Pliers	Combination Pliers 8", Long Nose Pliers 8", Diagonal Cutting Pliers 6", Wire Stripper Pliers 6", Water Pump Pliers 10", Cable Cutting Pliers 10"	
Insulated Ratchet Cable Cutting Pliers	240mm	
Insulated Screwdriver	⊖ 3.0x100, 5.5x125mm	
Insulated Screwdriver	⊕ PH1x80, PH2x100mm	
Insulated Cable Knife	Straight, Semicircle	
Insulated Junior Hacksaw	150mm	
Insulated Precision Tweezers	Needle tipless, Wide head transverse tooth, Curved tip tooth, Microtip	
Insulated clamp	150, 200mm	
Dipped Insulating Plastic Slip-on Caps	1# 2# 3#	
Dipped Insulating Plastic Self-Clamping Slip-on Caps	10, 20, 30mm	
7Pcs Insulated Precision Screwdriver Set	0200203	
50Pcs Insulated Changeable Screwdriver Set	0200106	
Flashlight	1 AA battery	
ABS Bag	485x375x248mm	

111Pcs Insulated Tool Set

IEC 60900:2012 1000V C



Contents		Code
111	1	0200 404
Insulated Open End Wrench	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm	
Insulated Adjustable Wrench	250mm	
Insulated Pliers	Combination Pliers 8", Long Nose Pliers 8", Diagonal Cutting Pliers 6", Bent Nose Pliers 8", Flat Nose Pliers 6", Wire Stripper Pliers 6", Water Pump Pliers 10", Cable Cutting Pliers 10"	
Insulated Ratchet Cable Cutting Pliers	380mm	
Insulated Screwdriver	⊖ 3.0x100, 5.5x125, 6.5x150mm	
Insulated Screwdriver	⊕ PH1x80, PH2x100mm	
Insulated Cable Knife	Straight, Long Hook, Dismantling, Semicircle	
Insulated Junior Hacksaw	150mm	
Insulated Precision Tweezers	Needle tipless, Wide head transverse tooth, Curved tip tooth, Microtip	
Insulated clamp	150, 200mm	
Dipped Insulating Plastic Slip-on Caps	1# 2# 3#	
Dipped Insulating Plastic Self-Clamping Slip-on Caps	10, 20, 30mm	
7Pcs Insulated Precision Screwdriver Set	0200203	
50Pcs Insulated Changeable Screwdriver Set	0200106	
Flashlight	1 AA battery	
ABS Bag	400x500x260mm	

3Pcs Insulated Electrician's Tool Set

IEC 60900:2012 1000V C



Contents		Code
3	1	0200 501
Insulated Combination Pliers	8"	
Insulated Long Nose Pliers	6"	
Insulated Diagonal Cutting Pliers	6"	

9Pcs Insulated Electrician's Tool Set

IEC 60900:2012 1000V C




Contents		Code
9	1	0200 502
Insulated Combination Pliers	8"	
Insulated Long Nose Pliers	6"	
Insulated Diagonal Cutting Pliers	6"	
Insulated Screwdriver	⊖ 2.5x75, 4x100, 5.5x125mm ⊕ PH0x60, PH1x80, PH2x100mm	

116Pcs Insulated Tool Set

 1000V
IEC 60900:2012 C




Contents		Code
116	1	0200 405
Insulated Pliers		Combination Pliers 6", Long Nose Pliers 6", Diagonal Cutting Pliers 6", Wire Stripper Pliers 6", Water Pump Pliers 10"
Insulated Open End Wrench		6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30mm
Insulated Ring Wrench		6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30mm
Insulated Adjustable Wrench		200, 300mm
Insulated Cable Cutting Pliers		250mm
Insulated Cable Knife		Straight, Long Hook, Dismantling
Insulated Junior Hacksaw		150mm △ 1000V
Insulated Screwdriver		➔ 2.5x75, 4.0x100, 5.5x125, 6.5x150mm
Insulated Screwdriver		➕ PH0x60, PH1x80, PH2x100, PH3x150mm
50Pcs Insulated Changeable Screwdriver Set		0200106
7Pcs Insulated Precision Screwdriver Set		0200 203
ABS Bag		400x500x260mm

12Pcs Insulated Tool Set

 1000V
IEC 60900:2012 C




Contents		Code
12	1	0200 406
Insulated Pliers		Combination Pliers 8", Long Nose Pliers 6", Diagonal Cutting Pliers 6"
Insulated Open End Wrench		10, 12, 14, 17mm
Insulated Ring Wrench		10, 12, 14, 17mm
Insulating Electrician's Gloves		#10 △ 1000V

30Pcs Insulated Tool Set

 1000V
IEC 60900:2012 C




Contents		Code
30	1	0200 407
Insulated Pliers		Combination Pliers 8", Long Nose Pliers 8", Diagonal Cutting Pliers 6", Wire Stripper Pliers 6"
Insulated Open End Wrench		10, 11, 12, 13, 14, 17, 19mm
Insulated Screwdriver		➔ 2.5x75, 4.0x100, 5.5x125, 6.5x150mm
Insulated Screwdriver		➕ PH1x80, PH2x100mm
Insulated Hex Screwdriver		5, 6, 8mm
Insulated Extension Bar		1/2"x125mm
1/2" Insulated T-handle Wrench		200mm
1/2" Insulated Socket		10, 11, 12, 13, 14, 16, 17, 19mm




30Pcs Insulated Tool Set



Contents		Code
30	1	0200 408
Insulated Pliers		Combination Pliers 8", Long Nose Pliers 8", Diagonal Cutting Pliers 6", Wire Stripper Pliers 6"
Insulated Open End Wrench		10, 11, 12, 13, 14, 17, 19mm
Insulated Screwdriver		2.5x75, 4.0x100, 5.5x125, 6.5x150mm
Insulated Screwdriver		PH1x80, PH2x100mm
Insulated Hex Screwdriver		5, 6, 8mm
Insulated Extension Bar		1/2"x125mm
1/2" Insulated Ratchet Wrench		250mm
1/2" Insulated Socket		10, 11, 12, 13, 14, 16, 17, 19mm


18Pcs Insulated Tool Set



Contents		Code
18	1	0200 411
Insulated Pliers		Combination Pliers 8", Diagonal Cutting Pliers 6"
Insulated Screwdriver		2.5x75, 4.0x100, 5.5x125mm
Insulated Screwdriver		PH1x80mm
Insulated Nut Screwdriver		6.0x125, 7.0x125, 8.0x125mm
Insulated Extension Bar		1/2"x125mm
1/2" Insulated T-handle Wrench		200mm
1/2" Insulated Socket		10, 11, 12, 13, 14, 17, 19mm




42Pcs Insulated Tool Set



Contents		Code
42	1	0200 409
Insulated Pliers		Combination Pliers 8", Long Nose Pliers 6", Diagonal Cutting Pliers 6"
Insulated Open End Wrench		10, 12, 14, 17, 19mm
Insulated Adjustable Wrench		200mm
1/2" Insulated Socket		10, 11, 12, 13, 14, 16, 17, 18, 19, 21, 22, 24mm
1/2" Insulated Hexagon Socket		4x120, 5x120, 6x120, 8x120mm
1/2" Insulated T-handle Wrench		200mm
1/2" Insulated Extension Bar		125, 250mm
1/2" Insulated Ratchet Wrench		250mm
Insulated Voltage Tester		125-250V
Insulated Cable Knife(Straight)		50x180mm
Insulated Cable Cutting Pliers		250mm
Insulated Junior Hacksaw		150mm
Insulated Screwdriver		2.5x75, 4.0x100, 5.5x125, 6.5x150mm
Insulating Electrician's Tape		19mmx10m
Blow box		465x380x150mm

98Pcs Insulated Tool Set



Contents		Code
98	1	0200 410
Insulated Open End Wrench		10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm
Insulated Adjustable Wrench		250mm
Insulated Pliers		Combination Pliers 8", Long Nose Pliers 8", Diagonal Cutting Pliers 6", Wire Stripper Pliers 6", Water Pump Pliers 10"
Insulated Cable Cutting Pliers		250mm
Insulated Ratchet Cable Cutting Pliers		240mm
Insulated Screwdriver		3.0x100, 5.5x125mm
Insulated Screwdriver		PH1x80, PH2x100mm
Insulated Cable Knife		Straight, Semicircle
Insulated Junior Hacksaw		150mm 
Insulated Precision Tweezers		Needle tipless, Wide head transverse tooth, Curved tip tooth, Microtip
Insulated clamp		150mm 200mm
Dipped Insulating Plastic Slip-on Caps		1# 2# 3# 
Dipped Insulating Plastic Self-Clamping Slip-on Caps		10, 20, 30mm
7Pcs Insulated Precision Screwdriver Set		0200203
50Pcs Insulated Changeable Screwdriver Set		0200106
Flashlight		
Blow box		465x380x150mm

Insulated Slotted Screwdriver



1000V C
IEC 60900:2012



Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6	Icon 7	Code
2.5	0.4	2.5	75	95x25	170	12	0201 253
3.0	0.5	3.0	100	95x25	195	12	0201 304
3.5	0.6	3.5	100	95x25	195	12	0201 354
4.0	0.8	4.0	100	105x30	205	12	0201 404
5.5	1.0	5.5	125	115x35	240	12	0201 555
5.0	1.0	5.0	150	105x30	265	12	0201 556
6.5	1.2	6.5	150	115x35	265	12	0201 656
6.0	1.2	6.0	175	115x35	290	12	0201 657

Slim Insulated Slotted Screwdriver



1000V C
IEC 60900:2012



Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6	Icon 7	Code
3.0	0.4	3.0	35	100	95x25	195	12 0201 304A
3.5	0.6	3.5	35	100	95x25	195	12 0201 354A
4.0	0.8	4.0	45	100	105x30	205	12 0201 404A
5.5	1.0	5.5	46	125	115x35	240	12 0201 555A
6.5	1.2	6.5	47	150	115x35	265	12 0201 556A

Insulated Phillips Screwdriver



1000V C
IEC 60900:2012



Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6	Code
PH0	3.0	60	95x25	155	12	0202 002
PH1	5.0	80	105x30	185	12	0202 103
PH1	5.0	150	105x30	255	12	0202 106
PH2	6.0	100	115x35	215	12	0202 204
PH2	6.0	175	115x35	290	12	0202 207
PH3	8.0	150	118x41	268	6	0202 306

Slim Insulated Phillips Screwdriver



1000V C
IEC 60900:2012



Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6	Icon 7	Code
PH1	5.0	46	80	105x30	185	12	0202 103A
PH2	6.0	47	100	115x35	215	12	0202 204A
PH3	8.0	47	150	118x41	268	12	0202 306A

Insulated Pozidriv Screwdriver



1000V C
IEC 60900:2012



Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6	Code
PZ0	3.0	60	95x25	155	12	0203 002
PZ1	5.0	80	105x30	185	12	0203 103
PZ2	6.0	100	115x35	215	12	0203 204
PZ3	8.0	150	118x41	268	6	0203 306

Slim Insulated Pozidriv Screwdriver



1000V C
IEC 60900:2012



Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6	Icon 7	Code
PZ1	5.0	46	80	105x30	185	12	0203 103A
PZ2	6.0	47	100	115x35	215	12	0203 204A
PZ3	8.0	47	150	118x41	268	12	0203 306A

Booher · Professional Insulated Tools Manufacturer

400-654-5800

Insulated Torx Screwdriver



1000V IEC 60900:2012




							Code
T10	3.0	70	105x30	175	12		0204 103
T15	4.0	80	105x30	185	12		0204 153
T20	4.0	100	105x30	205	12		0204 204
T25	5.0	125	105x30	230	12		0204 255
T30	6.0	130	115x35	245	12		0204 305

Insulated Bits Holder Screwdriver



1000V IEC 60900:2012



							Code
1/4"	10	100	105x30	207	6		0214 024

Insulated Precision Slotted Screwdriver



1000V IEC 60900:2012



							Code
1.5	0.23	1.5	50	95x18	145	12	0211 152
1.8	0.30	2.0	50	95x18	145	12	0211 182
2.0	0.40	2.0	50	95x18	145	12	0211 202
2.5	0.40	2.5	50	95x18	145	12	0211 252
3.0	0.50	3.0	50	95x18	145	12	0211 302

Insulated Hex Screwdriver



1000V IEC 60900:2012



							Code
H2.5	S2.5	75	95x25	170	12		0205 253
H3.0	S3.0	75	95x25	170	12		0205 303
H4.0	S4.0	75	105x30	180	12		0205 403
H5.0	S5.0	75	105x30	180	12		0205 503
H6.0	S6.0	100	115x35	215	12		0205 604
H8.0	S8.0	100	118x41	218	6		0205 804

Insulated Precision Phillips Screwdriver



1000V IEC 60900:2012



							Code
PH00	2.5	50	95x18	145	12		0212 101
PH0	3.0	50	95x18	145	12		0212 102
PH1	3.0	50	95x18	145	12		0212 112

Insulated Nut Screwdriver



1000V IEC 60900:2012



							Code
4.0	7.2	31	125	105x30	230	6	0206 045
5.0	7.2	31	125	105x30	230	6	0206 055
5.5	7.2	31	125	105x30	230	6	0206 056
6.0	7.2	31	125	105x30	230	6	0206 065
7.0	7.2	31	125	105x30	230	6	0206 075
8.0	7.2	31	125	105x30	230	6	0206 085
9.0	7.2	31	125	105x30	230	6	0206 095
10.0	7.2	31	125	105x30	230	6	0206 105
11.0	8.1	31	125	118x41	243	6	0206 115
12.0	8.1	31	125	118x41	243	6	0206 125
13.0	8.1	31	125	118x41	243	6	0206 135
14.0	8.1	31	125	118x41	243	6	0206 145

Insulated Precision Torx Screwdriver



1000V IEC 60900:2012




							Code
T6	2.5	50	95x18	145	12		0213 062
T8	2.5	50	95x18	145	12		0213 082
T10	3.0	50	95x18	145	12		0213 102
T15	4,6	50	95x18	145	12		0213 152
T20	4.0	50	95x18	145	12		0213 202

Insulated Combination Pliers



1000V IEC 60900:2012 C




Size (mm)	⌀ (mm)		Code
150(6")	1.6	6	0220 006
180(7")	1.6	6	0220 007
200(8")	1.6	6	0220 008

Insulated Combination Pliers



1000V IEC 60900:2012



Size (mm)	⌀ (mm)		Code
150(6")	1.6	6	0260 006
180(7")	1.6	6	0260 007
200(8")	1.6	6	0260 008

Insulated Long Nose Pliers



1000V IEC 60900:2012 C



Size (mm)	⌀ (mm)		Code
150(6")	1.6	6	0220 106
200(8")	1.6	6	0220 108

Insulated Long Nose Pliers



1000V IEC 60900:2012




Size (mm)	⌀ (mm)		Code
150(6")	1.6	6	0260 106
200(8")	1.6	6	0260 108

Insulated Diagonal Cutting Pliers



1000V IEC 60900:2012 C




Size (mm)	⌀ (mm)		Code
150(6")	1.6	6	0220 306

Insulated Diagonal Cutting Pliers



1000V IEC 60900:2012



Size (mm)	⌀ (mm)		Code
150(6")	1.6	6	0260 306

Insulated Heavy Duty Diagonal Cutting Pliers



1000V IEC 60900:2012



Size (mm)	Ø (mm)	W3	Code
180(7")	1.6	6	0220 307

Insulated Heavy Duty Diagonal Cutting Pliers



1000V IEC 60900:2012



Size (mm)	Ø (mm)	W3	Code
180(7")	1.6	6	0260 307

Insulated Bent Nose Pliers




1000V IEC 60900:2012



Size (mm)	Ø (mm)	W3	Code
150(6")	1.6	6	0220 206
200(8")	1.6	6	0220 208

Insulated Flat Nose Pliers




1000V IEC 60900:2012



Size (mm)	L3(mm)	W3	D1	T1	W3	Code
150(6")	32	20	11	11	6	0220 406

Insulated Round Nose Pliers




1000V IEC 60900:2012



Size (mm)	L3(mm)	W3	D1	T1	W3	Code
150(6")	32	20	3.2	11	6	0220 506

Insulated Wire Stripper Pliers

1000V IEC 60900:2012



Size (mm)	Cutting Diameter(max) (mm)	W3	Code
150(6")	5.0	6	0220 606

Insulated Cable Cutting Pliers



1000V C
IEC 60900:2012



Size (mm)	mm ²		Code
150(6")	22	6	0220 806

Insulated Cable Cutting Pliers



1000V C
IEC 60900:2012



Size (mm)	mm ²		Code
250(10")	80	6	0220 810

Insulated Water Pump Pliers



1000V C
IEC 60900:2012



Size (mm)	Min. Jaw Open Range (mm)		Code
250(10")	28	6	0220 710
300(12")	35	6	0220 712

Insulated Ratchet Cable Cutting Pliers



1000V C
IEC 60900:2012



mm ²	mm		Code
32mm(240mm ²)	240	1	0220 924
52mm(380mm ²)	330	1	0220 938

Insulated Cable Cutting Pliers

1000V



mm	mm		Code
< 6mm < 20mm	600	1	0220 860

Insulated Cable Cutting Pliers





1000V



mm ²	mm		Code
250	610	1	0220 825
500	810	1	0220 850


Insulated Adjustable Wrench




Size (mm)	Max (mm)		Code
200(8")	24	6	0221 008
250(10")	28	6	0221 010
300(12")	41	6	0221 012


Insulated Adjustable Wrench




Size (mm)	Max (mm)		Code
150(6")	20	6	0221 606
200(8")	25	6	0221 608
250(10")	30	6	0221 610
300(12")	35	6	0221 612


Insulated Open End Wrench



Size (mm)	A	B	L(mm)		Code
6	7	21.8	89.5	6	0221 106
7	7	24	89.9	6	0221 107
8	7.5	25.3	99.5	6	0221 108
9	7.5	27.4	99.2	6	0221 109
10	8	31	110	6	0221 110
11	8.5	34	120	6	0221 111
12	8.5	36	130	6	0221 112
13	10.5	39	140	6	0221 113
14	10.5	40	150	6	0221 114
15	11.5	42	160	6	0221 115
16	11.5	43	165	6	0221 116
17	12.5	47	165	6	0221 117
18	13	50	175	6	0221 118
19	14	53	180	6	0221 119
21	14	55	195	6	0221 121
22	14	58	205	6	0221 122
24	14	62	230	6	0221 124
27	13.8	60	249	4	0221 127
30	14.6	64	284	4	0221 130
32	15.7	68	308	4	0221 132

Dipped Insulated Open End Wrench




Size (mm)	A	B	L(mm)		Code
6	7	21.8	89.5	6	0221 406
7	7	24	89.9	6	0221 407
8	7.5	25.3	99.5	6	0221 408
9	7.5	27.4	99.2	6	0221 409
10	8	31	110	6	0221 410
11	8.5	34	120	6	0221 411
12	8.5	36	130	6	0221 412
13	10.5	39	140	6	0221 413
14	10.5	40	150	6	0221 414
15	11.5	42	160	6	0221 415
16	11.5	43	165	6	0221 416
17	12.5	47	165	6	0221 417
18	13	50	175	6	0221 418
19	14	53	180	6	0221 419
21	14	55	195	6	0221 421
22	14	58	205	6	0221 422
24	14	62	230	6	0221 424
27	13.8	60	249	4	0221 427
30	14.6	64	284	4	0221 430
32	15.7	68	308	4	0221 432

Insulated Ring Wrench



1000V IEC 60900:2012




Size (mm)	A	B	H	L(mm)		Code
6	7	13	17	130	6	0221 206
7	7.5	15	18	140	6	0221 207
8	8.5	16.5	19	150	6	0221 208
9	9	18	19	160	6	0221 209
10	9	21	20	170	6	0221 210
11	10	22.5	21	180	6	0221 211
12	10	22.5	21	190	6	0221 212
13	11	26.5	23	200	6	0221 213
14	12	28	23	210	6	0221 214
15	12	29	24	215	6	0221 215
16	12	31	26	215	6	0221 216
17	13	32	26	220	6	0221 217
18	13	35	28	230	6	0221 218
19	14	36	28	240	6	0221 219
21	14	39	30	250	6	0221 221
22	15	41	30	260	6	0221 222
24	16	44	32	280	6	0221 224
27	18	48	32	290	4	0221 227
30	19	53	33	310	4	0221 230
32	20	56	33	320	4	0221 232

Dipped Insulated Ring Wrench



1000V IEC 60900:2012



Size (mm)	A	B	H	L(mm)		Code
6	7	13	17	130	6	0221 506
7	7.5	15	18	140	6	0221 507
8	8.5	16.5	19	150	6	0221 508
9	9	18	19	160	6	0221 509
10	9	21	20	170	6	0221 510
11	10	22.5	21	180	6	0221 511
12	10	22.5	21	190	6	0221 512
13	11	26.5	23	200	6	0221 513
14	12	28	23	210	6	0221 514
15	12	29	24	215	6	0221 515
16	12	31	26	215	6	0221 516
17	13	32	26	220	6	0221 517
18	13	35	28	230	6	0221 518
19	14	36	28	240	6	0221 519
21	14	39	30	250	6	0221 521
22	15	41	30	260	6	0221 522
24	16	44	32	280	6	0221 524
27	18	48	32	290	4	0221 527
30	19	53	33	310	4	0221 530
32	20	56	33	320	4	0221 532

Insulated Torque Wrench

1/4" 3/8" 1/2"

1000V



Insulated Torque Wrench

1/2"

1000V




Nm	Size		Code
5-25Nm	1/4"	1	0219 204
5-25Nm	3/8"	1	0219 304
10-50Nm	3/8"	1	0219 305
20-100Nm	3/8"	1	0219 306
10-50Nm	1/2"	1	0219 405
20-100Nm	1/2"	1	0219 406

Nm	Size		Code
40-200Nm	1/2"	1	0219 408

Insulated Socket



GS 1000V IEC 60900:2012 C




Size (mm)	D1	D2	L(mm)		Code
4mm	9.8	17.5	42	6	0222 204
5mm	11.2	17.5	42	6	0222 205
5.5mm	11.7	17.5	42	6	0222 255
6mm	12.2	17.5	42	6	0222 206
7mm	14	17.5	42	6	0222 207
8mm	15	17.5	42	6	0222 208
9mm	16	17.5	42	6	0222 209
10mm	17.5	17.5	42	6	0222 210
11mm	19	17.5	42	6	0222 211
12mm	19.5	17.5	42	6	0222 212
13mm	20.8	17.5	42	6	0222 213
14mm	22.8	17.5	42	6	0222 214

Insulated Dual-Color Socket



GS 1000V IEC 60900:2012 C

NEW



- Chrome Vanadium Body,
- Visible Inner Yellow color design provides more safety warning
- Individually tested at 10,000V. ACMeets EN/IEC 60900 Standard


Size (mm)	D1	D2	L(mm)		Code
4	9.8	17.5	42	6	0222 204A
5	11.2	17.5	42	6	0222 205A
5.5	11.7	17.5	42	6	0222 255A
6	12.2	17.5	42	6	0222 206A
7	14	17.5	42	6	0222 207A
8	15	17.5	42	6	0222 208A
9	16	17.5	42	6	0222 209A
10	17.5	17.5	42	6	0222 210A
11	19	17.5	42	6	0222 211A
12	19.5	17.5	42	6	0222 212A
13	20.8	17.5	42	6	0222 213A
14	22.8	17.5	42	6	0222 214A

Insulated Dual-Color Socket



GS 1000V IEC 60900:2012 C 1000V

NEW



- Chrome Vanadium Body,
- Visible Inner Yellow color design provides more safety warning
- Individually tested at 10,000V. ACMeets EN/IEC 60900 Standard


Size (mm)	D1	D2	L(mm)		Code
4	9.8	17.5	67	6	0222 004A
5	11.2	17.5	67	6	0222 005A
6	12.2	17.5	67	6	0222 006A
7	14	17.5	67	6	0222 007A
8	15	17.5	67	6	0222 008A
9	16	17.5	67	6	0222 009A
10	17.5	17.5	67	6	0222 010A
11	19	17.5	67	6	0222 011A
12	19.5	17.5	67	6	0222 012A
13	20.8	17.5	67	6	0222 013A

Insulated Dual-Color Socket



GS 1000V IEC 60900:2012 C 1000V

NEW



- Chrome Vanadium Body,
- Visible Inner Yellow color design provides more safety warning
- Individually tested at 10,000V. ACMeets EN/IEC 60900 Standard

Size (mm)	D1	D2	L(mm)		Code
E8	16	23	45	6	0222 908A
E10	18	23	45	6	0222 910A
E11	19	23	45	6	0222 911A
E12	20	23	45	6	0222 912A
E14	22	23	45	6	0222 914A
E16	25	23	45	6	0222 916A
E18	27	23	45	6	0222 918A
E20	29	23	45	6	0222 920A

Booher · Professional Insulated Tools Manufacturer


400-654-5800

Insulated Socket

3/8"



1000V IEC 60900:2012




Size (mm)	D1	D2	L(mm)		Code
8	19.5	23	44	6	0222 308
10	18.7	23	44	6	0222 310
11	20	23	44	6	0222 311
12	21.2	23	44	6	0222 312
13	22.5	23	44	6	0222 313
14	23.7	23	44	6	0222 314
16	26.2	23	44	6	0222 316
17	27.5	23	44	6	0222 317
18	28.7	23	44	6	0222 318
19	30	23	44	6	0222 319
21	32.5	23	44	6	0222 321
22	33.7	23	44	6	0222 322

Insulated Dual-Color Socket

3/8"

1000V IEC 60900:2012

NEW



- Chrome Vanadium Body,
- Visible Inner Yellow color design provides more safety warning
- Individually tested at 10,000V. ACMeets EN/IEC 60900 Standard

Size (mm)	D1	D2	L(mm)		Code
6	14.5	23	45	6	0222 306A
7	16	23	45	6	0222 307A
8	17	23	45	6	0222 308A
9	18	23	45	6	0222 309A
10	20	23	45	6	0222 310A
11	21	23	45	6	0222 311A
12	23	23	45	6	0222 312A
13	23.5	23	45	6	0222 313A
14	25.0	23	45	6	0222 314A
15	26	23	45	6	0222 315A
16	27	23	45	6	0222 316A
17	28.5	23	45	6	0222 317A
18	30	23	45	6	0222 318A
19	31	23	47	6	0222 319A
20	33	23	47	6	0222 320A
21	33	23	47	6	0222 321A
22	35	23	47	6	0222 322A

Insulated Deep Socket

3/8"

1000V

NEW



Size (mm)	L(mm)		Code
8	80	6	0222 808
10	80	6	0222 810
12	80	6	0222 812
14	80	6	0222 814
15	80	6	0222 815
17	80	6	0222 817
19	80	6	0222 819
22	80	6	0222 822


Insulated Dual-Color Deep Socket

3/8"

1000V IEC 60900:2012

1000V

NEW





- Chrome Vanadium Body,
- Visible Inner Yellow color design provides more safety warning
- Individually tested at 10,000V. ACMeets EN/IEC 60900 Standard

Size (mm)	D1	D2	L(mm)		Code
8	17	23	80	6	0222 508A
10	20	23	80	6	0222 510A
12	22	23	80	6	0222 512A
14	25	23	80	6	0222 514A
15	26	23	80	6	0222 515A
17	28.5	23	80	6	0222 517A
19	31	23	80	6	0222 519A
22	35	23	80	6	0222 522A

Insulated Socket

1/2"  




Size (mm)	D1	D2	L(mm)		Code
10	19.5	27	54	6	0222 410
11	20.7	27	54	6	0222 411
12	22	27	54	6	0222 412
13	23.2	27	54	6	0222 413
14	24.5	27	54	6	0222 414
16	27	27	54	6	0222 416
17	28.2	27	54	6	0222 417
18	29.5	27	54	6	0222 418
19	30.7	27	54	6	0222 419
21	32	27	54	6	0222 421
22	33.2	27	54	6	0222 422
24	34.5	27	54	6	0222 424
27	37	27	54	6	0222 427
30	42.8	27	54	6	0222 430
32	44.8	27	54	6	0222 432


Insulated Dual-Color Socket

1/2"  

NEW




- Chrome Vanadium Body,
- Visible Inner Yellow color design provides more safety warning
- Individually tested at 10,000V.
- ACMeets EN/IEC 60900 Standard

Size (mm)	D1	D2	L(mm)		Code
8	18	27	55	6	0222 408A
9	19	27	55	6	0222 409A
10	21	27	55	6	0222 410A
11	22	27	55	6	0222 411A
12	23.0	27	55	6	0222 412A
13	24.0	27	55	6	0222 413A
14	25.5	27	55	6	0222 414A
15	27.0	27	55	6	0222 415A
16	27.0	27	55	6	0222 416A
17	29.0	27	55	6	0222 417A
18	30.5	27	55	6	0222 418A
19	31.0	27	55	6	0222 419A
20	33.0	27	55	6	0222 420A
21	33.0	27	55	6	0222 421A
22	35.0	27	55	6	0222 422A
24	37.0	27	55	6	0222 424A
27	41.0	27	59	6	0222 427A
30	45.0	27	59	6	0222 430A
32	47.0	27	59	6	0222 432A


Insulated Dual-Color Deep Socket

1/2"  


NEW





- Chrome Vanadium Body,
- Visible Inner Yellow color design provides more safety warning
- Individually tested at 10,000V.
- ACMeets EN/IEC 60900 Standard

Size (mm)	D1	D2	L(mm)		Code
10	21.0	27	94	6	0222 610A
12	23.0	27	94	6	0222 612A
13	24.0	27	94	6	0222 613A
14	25.5	27	94	6	0222 614A
17	29.0	27	94	6	0222 617A
19	31.0	27	94	6	0222 619A

Insulated Ratchet Wrench

1/4" 3/8" 1/2"  



Size (mm)			Code
145	1/4"	6	0226 206
200	3/8"	6	0226 308
250	1/2"	6	0226 410

Booher · Professional Insulated Tools Manufacturer

400-654-5800

Insulated Extension Bar

1/4" 3/8" 1/2"

1000V IEC 60900:2012



Size (mm)	Length (mm)	Hex Size	Code
1/4"	75	6	0225 203
1/4"	100	6	0225 206
3/8"	125	6	0225 305
3/8"	250	6	0225 310
1/2"	125	6	0225 405
1/2"	250	6	0225 410

Insulated Dual-Color Extension Bar

1/4" 3/8" 1/2"

1000V IEC 60900:2012

NEW



- Chrome Vanadium Body,
- Visible Inner Yellow color design provides more safety warning
- Individually tested at 10,000V. ACMeets EN/IEC 60900 Standard

Size (mm)	Length (mm)	Hex Size	Code
1/4"	75	6	0225 203A
1/4"	150	6	0225 206A
3/8"	125	6	0225 305A
3/8"	250	6	0225 310A
1/2"	125	6	0225 405A
1/2"	250	6	0225 410A

Insulated Hexagon Socket

1/4"

1000V IEC 60900:2012

NEW



Size (mm)	Length (mm)	Hex Size	Code
3	65	6	0223 203
4	65	6	0223 204
5	65	6	0223 205
6	65	6	0223 206
8	65	6	0223 208

Insulated Dual-Color Hexagon Bit Socket

1/4"

1000V IEC 60900:2012

NEW



- Chrome Vanadium Body,
- Visible Inner Yellow color design provides more safety warning
- Individually tested at 10,000V. ACMeets EN/IEC 60900 Standard

Size (mm)	Length (mm)	Hex Size	Code
3	66	6	0223 203A
4	66	6	0223 204A
5	66	6	0223 205A
6	66	6	0223 206A
8	66	6	0223 208A

Insulated Torx Bit Socket

绝缘花型旋具套筒

1/4"

1000V IEC 60900:2012

NEW



- Chrome Vanadium Body,
- Visible Inner Yellow color design provides more safety warning
- Individually tested at 10,000V. ACMeets EN/IEC 60900 Standard

Size (mm)	Length (mm)	Hex Size	Code
T10	66	6	0223 010
T15	66	6	0223 015
T20	66	6	0223 020
T25	66	6	0223 025
T27	66	6	0223 027
T30	66	6	0223 030
T40	66	6	0223 040

Insulated Dual-Color TROX Bit Socket

1/4"

1000V IEC 60900:2012

NEW



- Chrome Vanadium Body,
- Visible Inner Yellow color design provides more safety warning
- Individually tested at 10,000V. ACMeets EN/IEC 60900 Standard

Size (mm)	Length (mm)	Hex Size	Code
T10	66	6	0223 010A
T15	66	6	0223 015A
T20	66	6	0223 020A
T25	66	6	0223 025A
T27	66	6	0223 027A
T30	66	6	0223 030A
T40	66	6	0223 040A

Insulated Hexagon Socket

3/8"

GS 1000V IEC 60900:2012 C



Size (mm)	Length (mm)	Width (mm)	Code
4	75	6	0223 304
5	75	6	0223 305
6	75	6	0223 306
8	75	6	0223 308

Insulated Dual-Color Hexagon Bit Socket

3/8"

GS 1000V IEC 60900:2012 C

NEW



- Chrome Vanadium Body,
- Visible Inner Yellow color design provides more safety warning
- Individually tested at 10,000V. ACMeets EN/IEC 60900 Standard

Size (mm)	Length (mm)	Width (mm)	Code
4	75	6	0223 304A
5	75	6	0223 305A
6	75	6	0223 306A
8	75	6	0223 308A
10	75	6	0223 310A

Insulated Torx Bit Socket

3/8"

1000V NEW



- Chrome Vanadium Body,
- Visible Inner Yellow color design provides more safety warning
- Individually tested at 10,000V. ACMeets EN/IEC 60900 Standard

Size (mm)	Length (mm)	Width (mm)	Code
T10	77	6	0223 210
T15	77	6	0223 215
T20	77	6	0223 220
T25	77	6	0223 225
T27	77	6	0223 227
T30	77	6	0223 230
T40	77	6	0223 240
T45	77	6	0223 245
T50	77	6	0223 250
T55	77	6	0223 255

Insulated Dual-Color Torx Bit Socket

3/8"

GS 1000V IEC 60900:2012 C

NEW



- Chrome Vanadium Body,
- Visible Inner Yellow color design provides more safety warning
- Individually tested at 10,000V. ACMeets EN/IEC 60900 Standard

Size (mm)	Length (mm)	Width (mm)	Code
T10	75	6	0223 210A
T15	75	6	0223 215A
T20	75	6	0223 220A
T25	75	6	0223 225A
T27	75	6	0223 227A
T30	75	6	0223 230A
T40	75	6	0223 240A
T45	75	6	0223 245A
T50	75	6	0223 250A
T55	75	6	0223 255A

Insulated 12 Point Bit Socket

3/8"

1000V NEW



- Chrome Vanadium Body,
- Visible Inner Yellow color design provides more safety warning
- Individually tested at 10,000V. ACMeets EN/IEC 60900 Standard

Size (mm)	Length (mm)	Width (mm)	Code
6	77	6	0223 356
8	77	6	0223 358
10	77	6	0223 360
12	77	6	0223 362

Insulated Dual-Color 12 Point Bit Socket

3/8"

GS 1000V IEC 60900:2012 C

NEW



- Chrome Vanadium Body,
- Visible Inner Yellow color design provides more safety warning
- Individually tested at 10,000V. ACMeets EN/IEC 60900 Standard

Size (mm)	Length (mm)	Width (mm)	Code
6	75	6	0223 356A
8	75	6	0223 358A
10	75	6	0223 360A
12	75	6	0223 362A

Insulated Dual-Color Deep Hexagon Bit Socket

3/8"

1000V IEC 60900:2012



- Chrome Vanadium Body,
- Visible Inner Yellow color design provides more safety warning
- Individually tested at 10,000V. ACMeets EN/IEC 60900 Standard

Size (mm)	↳mm↳		Code
4	157	6	0223 324A
5	157	6	0223 325A
6	157	6	0223 326A
8	157	6	0223 328A
10	157	6	0223 330A

Insulated Hexagon Socket

1/2"

1000V IEC 60900:2012



Size (mm)	↳mm↳		Code
4	120	6	0223 404
5	120	6	0223 405
6	120	6	0223 406
8	120	6	0223 408
10	120	6	0223 410

Insulated Dual-Color Deep Torx Bit Socket

3/8"

1000V IEC 60900:2012



- Chrome Vanadium Body,
- Visible Inner Yellow color design provides more safety warning
- Individually tested at 10,000V. ACMeets EN/IEC 60900 Standard

Size (mm)	↳mm↳		Code
T10	157	6	0223 910A
T15	157	6	0223 915A
T20	157	6	0223 920A
T25	157	6	0223 925A
T27	157	6	0223 927A
T30	157	6	0223 930A
T40	157	6	0223 940A
T45	157	6	0223 945A
T50	157	6	0223 950A
T55	157	6	0223 955A

Insulated Torx Bit Socket

1/2"

1000V



- Chrome Vanadium Body,
- Visible Inner Yellow color design provides more safety warning
- Individually tested at 10,000V. ACMeets EN/IEC 60900 Standard

Size (mm)	L(mm)		Code
T10	117	6	0223 610
T15	117	6	0223 615
T20	117	6	0223 620
T25	117	6	0223 625
T27	117	6	0223 627
T30	117	6	0223 630
T40	117	6	0223 640
T45	117	6	0223 645
T50	117	6	0223 650
T55	117	4	0223 655

Insulated Dual-Color Deep 12 Point Bit Socket

3/8"

1000V IEC 60900:2012



- Chrome Vanadium Body,
- Visible Inner Yellow color design provides more safety warning
- Individually tested at 10,000V. ACMeets EN/IEC 60900 Standard

Size (mm)	↳mm↳		Code
M6	157	6	0223 366A
M8	157	6	0223 368A
M10	157	6	0223 370A

Insulated 12 Point Bit Socket

1/2"

1000V



- Chrome Vanadium Body,
- Visible Inner Yellow color design provides more safety warning
- Individually tested at 10,000V. ACMeets EN/IEC 60900 Standard

Size (mm)	L(mm)		Code
M6	117	6	0223 446
M8	117	6	0223 448
M10	117	6	0223 450
M12	117	6	0223 452

Insulated Dual-Color Hexagon Bit Socket

1/2"

GS 1000V IEC 60900:2012 C



- Chrome Vanadium Body,
- Visible Inner Yellow color design provides more safety warning
- Individually tested at 10,000V. ACMeets EN/IEC 60900 Standard

Size (mm)	◀mm▶		Code
4	120	6	0223 404A
5	120	6	0223 405A
6	120	6	0223 406A
8	120	6	0223 408A
10	120	6	0223 410A

Insulated Dual-Color Deep Hexagon Bit Socket

1/2"

GS 1000V IEC 60900:2012 C



- Chrome Vanadium Body,
- Visible Inner Yellow color design provides more safety warning
- Individually tested at 10,000V. ACMeets EN/IEC 60900 Standard

Size (mm)	◀mm▶		Code
4	157	6	0223 424A
5	157	6	0223 425A
6	157	6	0223 426A
8	157	6	0223 428A
10	157	6	0223 430A

Insulated Dual-Color Torx Bit Socket

1/2"

GS 1000V IEC 60900:2012 C



- Chrome Vanadium Body,
- Visible Inner Yellow color design provides more safety warning
- Individually tested at 10,000V. ACMeets EN/IEC 60900 Standard

Size (mm)	◀mm▶		Code
T10	120	6	0223 610A
T15	120	6	0223 615A
T20	120	6	0223 620A
T25	120	6	0223 625A
T27	120	6	0223 627A
T30	120	6	0223 630A
T40	120	6	0223 640A
T45	120	6	0223 645A
T50	120	6	0223 650A
T55	120	6	0223 655A

Insulated Dual-Color Deep Torx Bit Socket

1/2"

GS 1000V IEC 60900:2012 C



- Chrome Vanadium Body,
- Visible Inner Yellow color design provides more safety warning
- Individually tested at 10,000V. ACMeets EN/IEC 60900 Standard

Size (mm)	◀mm▶		Code
T10	157	6	0223 710A
T15	157	6	0223 715A
T20	157	6	0223 720A
T25	157	6	0223 725A
T27	157	6	0223 727A
T30	157	6	0223 730A
T40	157	6	0223 740A
T45	157	6	0223 745A
T50	157	6	0223 750A
T55	157	6	0223 755A

Booher · Professional Insulated Tools Manufacturer

400-654-5800

Insulated Dual-Color 12 Point Bit Socket

1/2"

1000V IEC 60900:2012



- Chrome Vanadium Body,
- Visible Inner Yellow color design provides more safety warning
- Individually tested at 10,000V. ACMeets EN/IEC 60900 Standard

Size (mm)	Length (mm)	Hex Size	Code
M6	117	6	0223 446A
M8	117	6	0223 448A
M10	117	6	0223 450A
M12	117	6	0223 452A

Insulated Dual-Color 12 Point Deep Bit Socket

1/2"

1000V IEC 60900:2012



- Chrome Vanadium Body,
- Visible Inner Yellow color design provides more safety warning
- Individually tested at 10,000V. ACMeets EN/IEC 60900 Standard

Size (mm)	Length (mm)	Hex Size	Code
M6	157	6	0223 456A
M8	157	6	0223 458A
M10	157	6	0223 460A

Insulated T-Type Socket Wrench

1000V IEC 60900:2012



Size (mm)	Length (mm)	Hex Size	Code
4	130	6	0228 104
5	130	6	0228 105
5.5	130	6	0228 155
6	130	6	0228 106
7	130	6	0228 107
8	130	6	0228 108
9	130	6	0228 109
10	130	6	0228 110
11	130	6	0228 111
12	130	6	0228 112
13	130	6	0228 113
14	130	6	0228 114

Dipped Insulated Socket Wrench with T-handle

1000V IEC 60900:2012




Size (mm)	Length (mm)	D (mm)	H (mm)	Hex Size	Code
8	200	15	90	6	0228 808
10	200	19.5	155	6	0228 810
12	200	22	155	6	0228 812
13	200	23.5	155	6	0228 813
14	200	24.5	155	6	0228 814
16	200	27	155	6	0228 816
17	200	28.5	155	6	0228 817
18	200	29.5	155	6	0228 818
19	200	31	155	6	0228 819
10	300	19.5	155	6	0228 910
12	300	22	155	6	0228 912
13	300	23.5	155	6	0228 913
14	300	24.5	155	6	0228 914
16	300	27	155	6	0228 916
17	300	28.5	155	6	0228 917
18	300	29.5	155	6	0228 918
19	300	31	155	6	0228 919

Insulated Dual-Color Ratchet Ring Spanner

GS 1000V IEC 60900:2012 C

NEW



- Chrome Vanadium Body,
- Visible Inner Yellow color design provides more safety warning
- Individually tested at 10,000V. ACMeets EN/IEC 60900 Standard

Size (mm)	A	L(mm)		Code
7	22	120	6	0221 707
8	22	120	6	0221 708
9	24	125	6	0221 709
10	26	135	6	0221 710
11	28	140	6	0221 711
12	29	145	6	0221 712
13	31	150	6	0221 713
14	33	160	6	0221 714
15	34	165	6	0221 715
16	36	170	6	0221 716
17	38	180	6	0221 717
18	39	190	6	0221 718
19	40	200	6	0221 719
22	47	230	6	0221 722
24	52.5	260	6	0221 724

Dipped Insulated Ratchet Ring Wrench

1000V



Size (mm)	A	B	L(mm)		Code
10	12	25	135	6	0221 310
11	12	28	140	6	0221 311
12	13	28	145	6	0221 312
13	13.5	30	150	6	0221 313
14	13.5	32	160	6	0221 314
15	14	34	165	6	0221 315
16	15	36	170	6	0221 316
17	15	37	180	6	0221 317
18	16	38	190	6	0221 318
19	16	40	200	6	0221 319

Insulated Angled Torx Wrench

GS 1000V IEC 60900:2012 C

NEW



- Chrome Vanadium Body,
- Visible Inner Yellow color design provides more safety warning
- Individually tested at 10,000V. ACMeets EN/IEC 60900 Standard

Size(mm)	L1(mm)	L2(mm)		Code
T10	130	25	6	0234 210
T15	140	40	6	0234 215
T20	140	40	6	0234 220
T25	160	45	6	0234 225
T27	160	45	6	0234 227
T30	180	47	6	0234 230
T40	200	50	6	0234 240
T45	200	50	6	0234 245
T50	200	50	6	0234 250
T55	235	52	6	0234 255

Insulated Hex Key Wrench

GS 1000V IEC 60900:2012



Size(mm)	L1(mm)	L2(mm)		Code
S3	130	25	6	0234 003
S4	140	40	6	0234 004
S5	160	45	6	0234 005
S6	180	47	6	0234 006
S8	200	50	6	0234 008
S10	235	52	6	0234 010
S12	260	60	6	0234 012

Insulated T-Type Ball Point Hex Key

1000V IEC 60900:2012

NEW



Size(mm)	L(mm)		Code
2.5	150	6	0227 225
3	150	6	0227 230
4	150	6	0227 240
5	150	6	0227 250
6	150	6	0227 260
8	150	6	0227 280

Dipped Insulated Hexagon Key Wrench With T-handle

1000V IEC 60900:2012




Size (mm)	L(mm)	D	H		Code
5	120	15	90	6	0227 055
6	120	15	90	6	0227 065
8	120	15	90	6	0227 085
10	120	15	90	6	0227 105
5	250	15	90	6	0227 510
6	250	15	90	6	0227 610
8	250	15	90	6	0227 810

Insulated T-handle Wrench

3/8" 1/2"

1000V IEC 60900:2012



	H(mm)	L(mm)		Code
3/8"	140	200	6	0224 308
1/2"	140	200	6	0224 408

Dipped Insulated Gear Socket Wrench

1000V



Size (mm)		Code
13x17	4	0226 437
17x19	4	0226 479
19x24	4	0226 494

Insulated Junior Hacksaw

1000V



D(mm)	L(mm)		Code
150	300	4	0232 006

Insulated Hacksaw

1000V

NEW




D(mm)	L(mm)		Code
300	450	1	0232 012

Insulated Cable Knife(Straight)

 1000V C
IEC 60900:2012



D(mm)	L(mm)		Code
50	180	6	0229 001

Insulated Cable Knife(Guard)

 1000V C
IEC 60900:2012



D(mm)	L(mm)		Code
50	180	6	0229 002

Insulated Cable Knife(Semicircle)

 1000V C
IEC 60900:2012



D(mm)	L(mm)		Code
28	155	6	0229 003

Insulated Cable Knife(Long Hook)

 1000V C
IEC 60900:2012



D(mm)	L(mm)		Code
50	180	6	0229 004

Insulated Dismantling Knife

 1000V C
IEC 60900:2012



D(mm)	L(mm)		Code
38	155	6	0229 005

Insulated Cable Knife(Changeable)


 1000V C
IEC 60900:2012



D(mm)	L(mm)		Code
58	185	6	0229 006

Changeable BladeChangeable Blade




C(mm)	L(mm)		Code
58	80	6	0229 007

Insulated Electrician's Scissors

 1000V C
IEC 60900:2012



L(mm)	C(mm)		Code
160	48	6	0235 006

Insulated Precision Tweezers



1000V IEC 60900:2012 C



◀mm▶		Code
135	12	0231 135


Insulating Flat Nose Pliers

1000V IEC 60900:2012 C



◀mm▶		Code
200	6	0233 008

Insulated Precision Tweezers



1000V IEC 60900:2012 C



◀mm▶		Code
145	12	0231 145

Insulating Clamp



1000V IEC 60900:2012 C



◀mm▶		Code
150	6	0233 006

Insulated Precision Tweezers



1000V IEC 60900:2012 C



◀mm▶		Code
155	12	0231 155

Dipped Insulated 4-Way Rim Wrench

1000V



	L(mm)		Code
13x14x17x19	230	1	0226 000

Insulated Precision Tweezers



1000V IEC 60900:2012 C



◀mm▶		Code
160	12	0231 160

Detecting Screwdriver

CE



Size	L(mm)		Code
90V-1000V	150	6	0230 910

Insulated Voltage Tester

1000V

NEW



D(mm)	L(mm)		Code
125-250V	150	12	0230 526

Insulated Voltage Tester

CE 125-250V-



Size	L(mm)		Code
125-250V	145	12	0230 525

Dipped Insulating Plastic Slip-on Caps

1000V



Size		Code
1#	12	0239 001
2#	12	0239 002
3#	12	0239 003

Dipped Insulating Plastic Self-Clamping Slip-on Caps

1000V C IEC 60900:2012



Size (mm)		Code
10	12	0239 101
20	12	0239 102
30	12	0239 103

8 In 1 Voltage Tester

CE



LCD Display	Phase	Polarity		Code
24V-690V	Yes	Yes	6	0230 640

Insulated Hammer With Replaceable Inserts

⚠️ 1000V



Size (mm)	L(mm)		Code
30	300	4	0237 030

Insulating Electrician's Tape




Size(WxL)		Code
19mmx10m	12	0236 191

Insulating Rubber Mat

⚠️ 1000V

KNIPEX



Insulating Electrician's Gloves

⚠️ 1000V

Honeywell



Size (mm)		Code
500x500	1	0238 055
1000x1000	1	0238 056

Size		Code
9#	1	0238 009
10#	1	0238 010

Insulating Rubber Mat

⚠️ 5000V



Insulating Electrician's Gloves

⚠️ 5000V



Size (mm)		Code
1000x5000	1	0238 065


Size		Code
9#	1	0238 019
10#	1	0238 020

Safety Helmet With Integrated Face Shield For Electricians



NEW

- Low voltage: integrated safety insulated cap
- Full section coverage dimensional panel
- "The panel can be pulled out easily with Insulated gloves"
- Touch-type automatic retraction screen design
- "The top shock absorbing box can absorb 40% of the impact force to protect head"
- Optical Quality Level 1
- Easy to have good for long term use
- Transparency surface screen
- The safety helmet can be adjusted the size through the adjusting knob

Size	Colour	g		Code
53-62cm	red	720	1	5101 121R
53-62cm	yellow	720	1	5101 121Y
53-62cm	blue	720	1	5101 121B

Industrial Safety Helmet For Linemen



NEW

- Comply with EN 397: Low temperature -30°C
- Comply with EN50365:1000V AC class 0
- Comply with ANSI:20000V AC class E
- PEHD material (non-including connection accessories)
- Four point suspension straps
- Service life: 4 years
- Application: head protection and prevention in industrial safety
- from accidentally touch live wire

Colour	g		Code
white	295	1	5101 122

Safety Helmet For Linemen With Short Visor



NEW

- Comply with EN 397: Low temperature -30°C
- Comply with EN50365:1000V AC class 0
- Comply with ANSI:20000V AC class E
- PEHD material (non-including connection accessories)
- Four point suspension straps
- Service life: 4 years
- Application: head protection and prevention in industrial safety
- from accidentally touch live wire

Colour	g		Code
white	305	1	5101 123

Insulated Shoes




- Advanced 1.6mm thickness embossed buffalo skin
- Finer, smoother and softer leather surface with even embossed.
- High performance in waterproof properties, tensile properties, tear strength, toughness.
- PU+ rubber double density outsole, light, shock-absorption, wear-resistant and skidproof.
- Low density PU foaming technology is used in the middle and bottom layers, in order to reduce shoe weight, energy recovery, shock absorption. Enhance the cushioning performance and permanent elasticity of the sole, Work fatigue resistance
- High density PU outsole, wear-resistant, skid resistant, weak acid and alkali resistance.
- The inner layer is made of advanced imported BK mesh cloth, which is anti-bacterial in addition
- Smelly, good wear resistance, strong sweat absorption.
- Insoles are ergonomically advanced and patented by Highbury. Insole, shock absorption and rebound, anti-bacterial deodorization, breathable and sweat absorption.
- Comply with GB21148-2007 "Personal protective equipment. Safety shoes "national standard.

35	5126 335	38	5126 338	41	5126 341	44	5126 344
36	5126 336	39	5126 339	42	5126 342	45	5126 345
37	5126 337	40	5126 340	43	5126 343	46	5126 346

Trolley Tool Case



- ABS material, strong aluminum frame
- Built-in handle with metal bracket, loading > 30kg
- Two side locks
- Aluminum alloy pull rod
- Flexible large diameter wheels
- Top cover with standard A4 file bags
- There are 22pcs position holder on the front and back of the top cover
- tool piece
- There are 15pcs position holder on the bottom cover
- Removable inner divider, can be done DIY cutting combination, maximum height 90mm, can place power tools, Multimeter and other instruments.

Interior dimension	Outer dimension	Net Weight	Payload		Code
480x365x200	510x415x265	6.4	30.00	1	0504 525

Arc Flash Jacket And Trousers



- Suitable for Electrician's daily uniform, fit for regular wear.
- Modern, stylish and ergonomic design
- Flame retardant Nomex fiber, interposition aramid fiber, the service life of the garment is guaranteed
- High collar: for maximum neck protection, back protection, Back panel has angular brace provides

- more comfortable feeling, non-metal zipper design.
- 2 radio circuits, standard images visible on the garment, lots of pockets design.
- Suitable for ATEX environments
- Cover fabric: 75%Nomex, 13% modified Poly 410gsm, 10.5% cotton, 1.5% anti-static resistance: Inner fabric: 100% Nomex

Size	Colour		Code
coverall XS	Dark blue and red	1	5121 301
coverall S	Dark blue and red	1	5121 302
coverall M	Dark blue and red	1	5121 303
coverall L	Dark blue and red	1	5121 304
coverall XL	Dark blue and red	1	5121 305
coverall XXL	Dark blue and red	1	5121 306
coverall XXXL	Dark blue and red	1	5121 307
Work pants XS	Dark blue and red	1	5121 311
Work pants S	Dark blue and red	1	5121 312
Work pants M	Dark blue and red	1	5121 313
Work pants L	Dark blue and red	1	5121 314
Work pants XL	Dark blue and red	1	5121 315
Work pants XXL	Dark blue and red	1	5121 316
Work pants XXXL	Dark blue and red	1	5121 317

Inspection Mirror



L			Code
22	20	1	0237 101

Arc Flash Jacket And Trousers



- Suitable for intermittent use by electricians.
- Joint overlap between different garments parts: even when moving all parts of the body are protected .
- High collar covering the entire neck,

- non-metal zip designed flat cap, elastic cuff, Velcro sealed opening
- Facial testing according to ASTM F2178
- ATPV visible on clothing

Size	Colour		Code
coverall M	blue	1	5121 321
coverall L	blue	1	5121 322
coverall XL	blue	1	5121 323
coverall XXL	blue	1	5121 324
Bib M	blue	1	5121 331
Bib L	blue	1	5121 332
Bib XL	blue	1	5121 333
Bib XXL	blue	1	5121 334
Anti electric head cover	blue	1	5121 338

General Key



- For all standard control cabinets and switching systems. Control cabinet and switch for gas, water and power supply devices.
- Plug-in: notch 1.0 × 7mm, PH2 cross slot

- For the opening and closing of technical equipment in the building, Such as air conditioning and ventilation system, cut-off valve, total distribution cabinet, etc

			L		Code
5/6/8	9	3-5	44	6	0240 104

7 Tray Tool Chest



Size (mm)	Configuration	Code
W688xD460xH920	Ball bearing slides, loading 45KG 2 fixed 2 360 degree wheels casters, each bearing 140KG	0601 125

7 Tray Tool Chest



Size (mm)	Configuration	Code
W820xD540xH990	Ball bearing slides, loading 45KG 2 fixed 2 360 degree wheels casters, each bearing 140K	0604 105

Insulation Multimeter



- This instrument is a high precision, high reliability, easily operation, digital insulation resistance tester
- There are three insulation test voltages: 125V, 250V and 500V, can be measured up to 1000MΩ
- It can also measure AC/DC voltage up to 500V

	MΩ	MΩ		Code
125V	2MΩ	0.05-2	0.001	1
	20MΩ	1-20	0.01	1
	200MΩ	10-200	0.1	1
250V	20MΩ	0.1-20	0.01	1
	200MΩ	10-200	0.1	1
	500MΩ	100-500	1	1
500V	20MΩ	0.5-20	0.01	1
	200MΩ	10-200	0.1	1
	1000MΩ	100-1000	1	1

± (5%+10%) **1411 201**

Galeras



ANSI Z87+



- Transparent PC anti-chemical anti-fog goggles, flexible PVC lens body, arc panoramic vision,
- Suitable for wearing glasses and half mask at the same time, wide elastic fabric headband,
- Rotating headband interface, indirect ventilation, more comfortable

Size	Code
1	5101 106

☎ 400-654-5800



Booher · Industrial Partner

Booher Industrial Tools (Shanghai) Co., Ltd.

Address : No. 2051, ZhuDai Road, Jiading District, Shanghai 201806

WhatsApp/Wechat:8613524552822 Fax: +86-21-6094 5810

E-mail : pattywang@boohergroup.com

http : www.BOOHERgroup.com